

S And D Equations Arxiv

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020

Differential Equations: A Historical Refresher arXiv:2012 ...

[2012.05338] Effective field equations and scale-dependent ...

Stable Big Bang formation for Einstein's equations: The ...

~~500 jaar lang werd DE DERDEMACHTSFORMULE niet onderwezen. Wat denken ze dat je niet aan kunt?~~ Killer Problem With A Golden Answer

21 Lessons for the 21st Century | Yuval Noah Harari | Talks at Google **Steady State Multiverse (Measure Problem Part 2)** Stokes' Theorem on Manifolds

Why We Age and Why We Don't Have To | David Sinclair | Talks at Google

An introduction to Reinforcement Learning ~~700 years of secrets of the Sum of Sums (paradoxical harmonic series)~~ Variational Autoencoders FC\u0026TFA 17.06.2020.

session 1 Policy Gradient methods and Proximal Policy Optimization (PPO): diving into Deep RL! General Relativity: Top 05 Mishaps [inc INTERSTELLAR] How To Solve Amazon's Hanging Cable Interview Question Why do Biden's votes not follow Benford's Law? **Why was this visual proof missed for 400 years? (Fermat's two square theorem)** Post Eternity Part 1: The Universe Repeating Itself (Poincare Recurrence)

MY GENDER DYSPHORIA (BEFORE AND AFTER TESTOSTERONE) |

NOAHFINNCE What is The Quantum Wave Function, Exactly? How AlphaGo Zero

~~works - Google DeepMind Emotional Mastery: The Gifted Wisdom of Unpleasant Feelings | Dr Joan Rosenberg | TEDxSantaBarbara The Rocket Equation: Mathematician vs Astronaut How did we measure the fastest speed there is? | The History of the Speed of Light Part I The Science of Love | John Gottman | TEDxVeniceBeach Why is there no equation for the perimeter of an ellipse? The Million Dollar Equations - with Tom Crawford Why We Might Use Different Numbers in the Future *Cumrun Vafa - Stringy Predictions for Our Universe (September 11, 2019) Example: Supply and Demand Many Worlds* \u0026 Quantum Realms (with NoahFinnee) | Sci Guys Podcast #83~~

wav2vec 2.0: A Framework for Self-Supervised Learning of Speech Representations **S And D Equations Arxiv**

arXiv:2012.06938v1 [math.HO] 13 Dec 2020 ... then touches upon Newton's approach to differential equations. Then the development of the various methods for solving the first order differential equations and the second order linear differential equations are discussed.

Differential Equations: A Historical Refresher arXiv:2012 ...

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global

scientific community.

Comment on: "Solving many-body Schrödinger equations with ...

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

[2012.05338] Effective field equations and scale-dependent ...

\hat{S}_i ; $H_s = t \sum_{\langle i,j \rangle} c_j^\dagger c_i + \sum_i U_i c_i^\dagger c_i$ (3) + $U_s \sum_i c_i^\dagger c_i$ $\hat{n}_s = \sum_i c_i^\dagger c_i$ $J_s \sum_{\langle i,j \rangle} c_j^\dagger c_i$ $\hat{S}_i = \sum_{\alpha} S_{i\alpha} \hat{S}_i$ In Eqs. (1-3), c_j^\dagger (c_j) creates an s- (d-) electron at site j with spin projection α , and \hat{S}_i is the spin density operator for orbital α at site i . The orbital energy is given by ϵ_i , t is the hopping ampli-

arXiv:2010.16125v1 [cond-mat.mes-hall] 30 Oct 2020

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020. 2 FIG. 1. Schematic of the relationship between the ... by a system of ordinary differential equations (ODEs) $\dot{x} = V(x)$ on $X = \mathbb{R}^d$, a classical way of performing simulation is to construct a finite-difference approximation $\hat{X}^t : X \rightarrow X$ of the dynamical

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020

We study vortex sheet solutions of Euler equation, corresponding tangent discontinuity ... $S D \sim v d \sim r$. This means that ... arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020. 2 scaling laws in Turbulent flow. Let us define here the basic equations.

arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

Stable Big Bang formation for Einstein's equations: The ...

The starting point is Dyson's equations, a closed set of integral equations which relate various physical amplitudes involving graviton propagators, vertex functions and proper self-energies. Such equations are in general difficult to solve, and as a result not very useful in practice, but nevertheless provide a basis for subsequent approximations.

[2010.10500] Dyson's Equations for Quantum ... - arXiv.org

Pub Date: August 2016 arXiv: arXiv:1608.03906 Bibcode: 2016arXiv160803906E

Keywords: Mathematics - Classical Analysis and ODEs; 39B32;

Solutions and stability of a variant of Van Vleck's and d ...

ads-help[at]cfa.harvard.edu The ADS is operated by the Smithsonian Astrophysical Observatory under NASA Cooperative Agreement NNX16AC86A

Large singular solutions for conformal Q -curvature ...

$d(\sim s, ?) = \sim ? W^- d(\sim s, ?), V^- d(\sim s, ?) (12) = 1 \ 2 \ V^- d(\sim s, ?) ? W^- 2 \ d(\sim s, ?) 2 W^- d(\sim s, ?) ? 1 .$
In order to recover standard linear sparse coding, we can complete the definition of $\sim ? d$ as follows. Using parameters $? = (?^2, W)$ with $?^2 ? R^+ \ 4$

Machine Learning Lab, Department of Medical Physics ... - arXiv

Learning to Switch Between Machines and Humans Vahid Balazadeh Meresht¹, Abir De², Adish Singla³, and Manuel Gomez-Rodriguez³
¹Sharif University of Technology, vbalazadehmeresht@c

export.arxiv.org

In this case, from S and T , one can again, in a natural manner, construct a Lorentzian conformal metric on the six dimensional space $(z, z_s, z_t, z_{st}, s, t)$. When the S and T satisfy equations analogous to $U[F]=0$, namely equations of the form $M[S, T]=0$, the 6-space then possesses a pair of conformal Killing fields, $\xi_i = \partial$ with respect to s

and ...

Differential Geometry from Differential Equations ...

arXiv Vanity renders academic papers from arXiv as responsive web pages so you don't have to squint at a PDF. Convert to web page. Convert to web page. For example, Generative Adversarial Networks: An Overview. To convert papers with one click, drag this bookmarklet to your bookmarks bar:

arXiv Vanity – Read academic papers from arXiv as web pages

Abstract. This work addresses some relevant characteristics of associative algebras in low dimensions. Especially, given 1 and 2 dimensional associative algebras, we explicitly solve associative Yang-Baxter equations and use skew-symmetric solutions to perform double constructions of Frobenius algebras.

Solutions of associative Yang-Baxter equation and $\$D$...

Quantum sphere is introduced as a quotient of the so-called Reflection Equation Algebra. This enables us to construct some line bundles on it by means of the Cayley-Hamilton identity whose a quantum version was discovered in [PS], [GPS]. A new way to introduce some elements of "braided geometry" on the quantum sphere is discussed.

Quantum Sphere via Reflection Equation ... - arxiv-vanity.com

In theoretical physics, quantum field theory (QFT) is a theoretical framework that combines classical field theory, special relativity and quantum mechanics, but not general relativity's description of gravity. QFT is used in particle physics to construct physical models of subatomic particles and in condensed matter physics to construct models of quasiparticles.

Quantum field theory - Wikipedia

The Alcubierre drive, Alcubierre warp drive, or Alcubierre metric (referring to metric tensor) is a speculative idea based on a solution of Einstein's field equations in general relativity as proposed by Mexican theoretical physicist Miguel Alcubierre, by which a spacecraft could achieve apparent faster-than-light travel if a configurable energy-density field lower than that of vacuum (that is ...

Alcubierre drive - Wikipedia

Abstract: Onsager and Machlup proposed a second order variational-principle in order to include inertial effects into the Langevin-equation, giving a Lagrangian with second order derivatives in time. This but violates Ostrogradsky's theorem, which proves that Lagrangians with higher than first order derivatives are meaningless. As a

consequence, inertial effects cannot be included in a ...

arXiv:2012.06938v1 [math.HO] 13 Dec 2020 ... then touches upon Newton ' s approach to differential equations. Then the development of the various methods for solving the first order differential equations and the second order linear differential equations are discussed.

Machine LearningLab, Department of Medical Physics ... - arXiv

In this case, from S and T, one can again, in a natural manner, construct a Lorentzian conformal metric on the six dimensional space $(z, z_s, z_t, z_{st}, s, t)$. When the S and T satisfy equations analogous to $U[F]=0$, namely equations of the form $M[S, T]=0$, the 6-space then possesses a pair of conformal Killing fields, $\xi = \text{partial}$ with respect to s and ...

arXiv:2010.16125v1 [cond-mat.mes-hall] 30 Oct 2020

Differential Geometry from Differential Equations ...

~~500-jaar lang werd DE DERDEMACHTSFORMULE niet onderwezen. Wat denken ze dat je niet aan kunt?~~ Killer Problem With A Golden Answer

21 Lessons for the 21st Century | Yuval Noah Harari | Talks at Google **Steady State Multiverse (Measure Problem Part 2)** Stokes' Theorem on Manifolds

Why We Age and Why We Don't Have To | David Sinclair | Talks at Google

An introduction to Reinforcement Learning ~~700 years of secrets of the Sum of Sums~~
(~~paradoxical harmonic series~~) *Variational Autoencoders* FC\u0026TFA 17.06.2020.

session 1 *Policy Gradient methods and Proximal Policy Optimization (PPO): diving into Deep RL!* *General Relativity: Top 05 Mishaps [inc INTERSTELLAR]* *How To Solve Amazon's Hanging Cable Interview Question* *Why do Biden's votes not follow Benford's Law?* **Why was this visual proof missed for 400 years? (Fermat's two square theorem)** *Post Eternity Part 1: The Universe Repeating Itself (Poincare Recurrence)*

MY GENDER DYSPHORIA (BEFORE AND AFTER TESTOSTERONE) |

NOAHFINNCE *What is The Quantum Wave Function, Exactly?* How AlphaGo Zero works - Google DeepMind ~~Emotional Mastery: The Gifted Wisdom of Unpleasant~~

~~Feelings | Dr Joan Rosenberg | TEDxSantaBarbara~~ ~~The Rocket Equation: Mathematician~~

~~vs Astronaut~~ How did we measure the fastest speed there is? | The History of the Speed

of Light Part I ~~The Science of Love | John Gottman | TEDxVeniceBeach~~ ~~Why is there no~~

~~equation for the perimeter of an ellipse?~~ ~~The Million Dollar Equations - with Tom~~

~~Crawford~~ *Why We Might Use Different Numbers in the Future* *Cumrun Vafa - Stringy*

Predictions for Our Universe (September 11, 2019) Example: Supply and Demand ~~Many~~

~~Worlds~~ \u0026 ~~Quantum Realms (with NoahFinnee) | Sei Guys Podcast #83~~

wav2vec 2.0: A Framework for Self-Supervised Learning of Speech Representations **S And D Equations Arxiv**

arXiv:2012.06938v1 [math.HO] 13 Dec 2020 ... then touches upon Newton's approach to differential equations. Then the development of the various methods for solving the first order differential equations and the second order linear differential equations are discussed.

Differential Equations: A Historical Refresher arXiv:2012 ...

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

Comment on: "Solving many-body Schrödinger equations with ...

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

[2012.05338] Effective field equations and scale-dependent ...

\hat{S}_i ; $H_s = t \sum_{\langle ij \rangle} c_{i\alpha}^\dagger c_{j\alpha} + U \sum_i n_{i\alpha} n_{i\beta}$ (3) + $U_s \sum_i n_{i\alpha} n_{i\beta}$ \hat{S}_i \hat{S}_i :
In Eqs. (1-3), $c_{i\alpha}^\dagger$ ($c_{i\alpha}$) creates an s- (d-) electron at site i with spin projection α , and \hat{S}_i is the spin density operator for orbital α at site i . The orbital energy is given by $\epsilon_{i\alpha}$, t_{ij} is the hopping ampli-

arXiv:2010.16125v1 [cond-mat.mes-hall] 30 Oct 2020

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020. 2 FIG. 1. Schematic of the relationship between the ... by a system of ordinary differential equations (ODEs) $\dot{x} = V(x)$ on $X = \mathbb{R}^d$, a classical way of performing simulation is to construct a finite-difference approximation $t^{\Delta t} : X \rightarrow X$ of the dynamical

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020

We study vortex sheet solutions of Euler equation, corresponding tangent discontinuity ... $S \cdot \nabla \sim v \cdot \nabla$. This means that ... arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020. 2 scaling laws in Turbulent flow. Let us define here the basic equations.

arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020

Donate to arXiv. Please join the Simons Foundation and our generous member

organizations in supporting arXiv during our giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

Stable Big Bang formation for Einstein's equations: The ...

The starting point is Dyson's equations, a closed set of integral equations which relate various physical amplitudes involving graviton propagators, vertex functions and proper self-energies. Such equations are in general difficult to solve, and as a result not very useful in practice, but nevertheless provide a basis for subsequent approximations.

[2010.10500] Dyson's Equations for Quantum ... - arXiv.org

Pub Date: August 2016 arXiv: arXiv:1608.03906 Bibcode: 2016arXiv160803906E

Keywords: Mathematics - Classical Analysis and ODEs; 39B32;

Solutions and stability of a variant of Van Vleck's and d ...

adshelp[at]cfa.harvard.edu The ADS is operated by the Smithsonian Astrophysical Observatory under NASA Cooperative Agreement NNX16AC86A

Large singular solutions for conformal Q -curvature ...

Page 12/21

$d(\sim s, ?) = \sim ? W^- d(\sim s, ?), V^- d(\sim s, ?) (12) = 1 \ 2 \ V^- d(\sim s, ?) ? W^- 2 \ d(\sim s, ?) 2 W^- d(\sim s, ?) ? 1 .$
 In order to recover standard linear sparse coding, we can complete the definition of $\sim ?^d$ as follows. Using parameters $? = (?2, W)$ with $?2 ? R+! \ 4$

Machine Learning Lab, Department of Medical Physics ... - arXiv

Learning to Switch Between Machines and Humans Vahid Balazadeh Meresht¹, Abir De², Adish Singla³, and Manuel Gomez-Rodriguez³ ¹Sharif University of Technology, vbalazadehmeresht@c

export.arxiv.org

In this case, from S and T, one can again, in a natural manner, construct a Lorentzian conformal metric on the six dimensional space (z, z_s, z_t, z_st, s, t). When the S and T satisfy equations analogous to U[F]=0, namely equations of the form M[S, T]=0, the 6-space then possesses a pair of conformal Killing fields, xi =partial with respect to s and ...

Differential Geometry from Differential Equations ...

arXiv Vanity renders academic papers from arXiv as responsive web pages so you don't have to squint at a PDF. Convert to web page. Convert to web page. For example,

Generative Adversarial Networks: An Overview. To convert papers with one click, drag this bookmarklet to your bookmarks bar:

arXiv Vanity – Read academic papers from arXiv as web pages

Abstract. This work addresses some relevant characteristics of associative algebras in low dimensions. Especially, given 1 and 2 dimensional associative algebras, we explicitly solve associative Yang-Baxter equations and use skew-symmetric solutions to perform double constructions of Frobenius algebras.

Solutions of associative Yang-Baxter equation and $\mathcal{S}\mathcal{D}$...

Quantum sphere is introduced as a quotient of the so-called Reflection Equation Algebra. This enables us to construct some line bundles on it by means of the Cayley-Hamilton identity whose a quantum version was discovered in [PS], [GPS]. A new way to introduce some elements of "braided geometry" on the quantum sphere is discussed.

Quantum Sphere via Reflection Equation ... - arxiv-vanity.com

In theoretical physics, quantum field theory (QFT) is a theoretical framework that combines classical field theory, special relativity and quantum mechanics, but not general relativity's description of gravity. QFT is used in particle physics to construct

physical models of subatomic particles and in condensed matter physics to construct models of quasiparticles.

Quantum field theory - Wikipedia

The Alcubierre drive, Alcubierre warp drive, or Alcubierre metric (referring to metric tensor) is a speculative idea based on a solution of Einstein's field equations in general relativity as proposed by Mexican theoretical physicist Miguel Alcubierre, by which a spacecraft could achieve apparent faster-than-light travel if a configurable energy-density field lower than that of vacuum (that is ...

Alcubierre drive - Wikipedia

Abstract: Onsager and Machlup proposed a second order variational-principle in order to include inertial effects into the Langevin-equation, giving a Lagrangian with second order derivatives in time. This but violates Ostrogradsky's theorem, which proves that Lagrangians with higher than first order derivatives are meaningless. As a consequence, inertial effects cannot be included in a ...

$$d(\sim s, ?) = \sim ? W^- d(\sim s, ?), V^- d(\sim s, ?) (12) = 1 \ 2 \ V^- d(\sim s, ?) ? W^- 2 \ d(\sim s, ?) 2 W^- d(\sim s, ?) ? 1 .$$

In order to recover standard linear sparse coding, we can complete the definition of \tilde{z}^d as follows. Using parameters $\theta = (\theta_2, W)$ with $\theta_2 \in \mathbb{R}^{+ \times 4}$

Abstract: Onsager and Machlup proposed a second order variational-principle in order to include inertial effects into the Langevin-equation, giving a Lagrangian with second order derivatives in time. This but violates Ostrogradsky's theorem, which proves that Lagrangians with higher than first order derivatives are meaningless. As a consequence, inertial effects cannot be included in a ...

Solutions of associative Yang-Baxter equation and $\$D$...

arXiv Vanity – Read academic papers from arXiv as web pages

The Alcubierre drive, Alcubierre warp drive, or Alcubierre metric (referring to metric tensor) is a speculative idea based on a solution of Einstein's field equations in general relativity as proposed by Mexican theoretical physicist Miguel Alcubierre, by which a spacecraft could achieve apparent faster-than-light travel if a configurable energy-density field lower than that of vacuum (that is ...

Donate to arXiv. Please join the Simons Foundation and our generous member organizations in supporting arXiv during our

giving campaign September 23-27. 100% of your contribution will fund improvements and new initiatives to benefit arXiv's global scientific community.

export.arxiv.org

Alcubierre drive - Wikipedia

arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020

adshelp[at]cfa.harvard.edu The ADS is operated by the Smithsonian Astrophysical Observatory under NASA Cooperative Agreement NNX16AC86A

Quantum Sphere via Reflection Equation ... - arxiv-vanity.com

Comment on: "Solving many-body Schrödinger equations with ...

Large singular solutions for conformal $SO_0(3,1)$ -curvature ...

Solutions and stability of a variant of Van Vleck's and d ...

Abstract. This work addresses some relevant characteristics of associative algebras in low dimensions. Especially, given 1 and 2 dimensional associative algebras, we explicitly solve associative Yang-Baxter equations and use skew-symmetric solutions to perform double constructions of Frobenius algebras.

arXiv:2012.06097v1 [quant-ph] 11 Dec 2020. 2 FIG. 1. Schematic of the relationship between the ... by a system of ordinary differential

equations (ODEs) $\dot{x} = V(x)$ on $X = \mathbb{R}^d$, a classical way of performing simulation is to construct a time-difference approximation $t^k : X \rightarrow X$ of the dynamical

In theoretical physics, quantum field theory (QFT) is a theoretical framework that combines classical field theory, special relativity and quantum mechanics, but not general relativity's description of gravity. QFT is used in particle physics to construct physical models of subatomic particles and in condensed matter physics to construct models of quasiparticles.

Learning to Switch Between Machines and Humans Vahid Balazadeh
Mereshti¹, Abir De², Adish Singla³, and Manuel Gomez-Rodriguez³
¹Sharif University of Technology, vbalazadehmeresht@c

~~500 jaar lang werd DE DERDEMACHTSFORMULE niet onderwezen. Wat denken ze dat je niet aan kunt?~~ Killer Problem With A Golden Answer

21 Lessons for the 21st Century | Yuval Noah Harari | Talks at Google
Steady State Multiverse (Measure Problem Part 2) Stokes' Theorem on Manifolds

Why We Age and Why We Don't Have To | David Sinclair | Talks at Google
An introduction to Reinforcement Learning ~~700 years of secrets of the~~

~~Sum of Sums (paradoxical harmonic series)~~ Variational Autoencoders
FC\u0026TFA 17.06.2020. session 1 Policy Gradient methods and Proximal
Policy Optimization (PPO): diving into Deep RL! General Relativity:
Top 05 Mishaps [inc INTERSTELLAR] How To Solve Amazon's Hanging Cable
Interview Question Why do Biden's votes not follow Benford's Law? **Why
was this visual proof missed for 400 years? (Fermat's two square
theorem)** Post Eternity Part 1: The Universe Repeating Itself (Poincare
Recurrence)

MY GENDER DYSPHORIA (BEFORE AND AFTER TESTOSTERONE) | NOAHFINNCEWhat
is The Quantum Wave Function, Exactly? How AlphaGo Zero works - Google
DeepMind Emotional Mastery: The Gifted Wisdom of Unpleasant Feelings |
Dr Joan Rosenberg | TEDxSantaBarbara The Rocket Equation:
Mathematician vs Astronaut How did we measure the fastest speed there
is? | The History of the Speed of Light Part I The Science of Love |
John Gottman | TEDxVeniceBeach Why is there no equation for the
perimeter of an ellipse? The Million Dollar Equations — with Tom
Crawford Why We Might Use Different Numbers in the Future Cumrun Vafa
- *Stringy Predictions for Our Universe (September 11, 2019)* Example:
Supply and Demand Many Worlds \u0026 Quantum Realms (with NoahFinnee)
| Sci Guys Podcast #83

wav2vec 2.0: A Framework for Self-Supervised Learning of Speech
Representations **S And D Equations Arxiv**

$\hat{S}_i; H_s = t \sum_{\langle i,j \rangle} c_{i\sigma}^\dagger c_{j\sigma} + U \sum_i n_{i\uparrow} n_{i\downarrow} - \sum_i J_s c_{i\sigma}^\dagger \hat{S}_i c_{i\sigma}$. In Eqs. (1-3), $c_{i\sigma}^\dagger (c_{i\sigma})$ creates an s - (d -) electron at site i with spin projection σ , and \hat{S}_i is the spin density operator for orbital a at site i . The orbital energy is given by ϵ_i , t is the hopping ampli-

[2010.10500] Dyson's Equations for Quantum ... - arXiv.org

The starting point is Dyson's equations, a closed set of integral equations which relate various physical amplitudes involving graviton propagators, vertex functions and proper self-energies. Such equations are in general difficult to solve, and as a result not very useful in practice, but nevertheless provide a basis for subsequent approximations.

Quantum sphere is introduced as a quotient of the so-called Reflection Equation Algebra. This enables us to construct some line bundles on it by means of the Cayley-Hamilton identity whose a quantum version was discovered in [PS], [GPS]. A new way to introduce some elements of "braided geometry" on the quantum sphere is discussed.

arXiv Vanity renders academic papers from arXiv as responsive

web pages so you don't have to squint at a PDF. Convert to web page. Convert to web page. For example, Generative Adversarial Networks: An Overview. To convert papers with one click, drag this bookmarklet to your bookmarks bar:

Quantum field theory - Wikipedia

We study vortex sheet solutions of Euler equation, corresponding tangent discontinuity ... $S D \sim v d \sim r$. This means that ... arXiv:2011.09030v1 [physics.flu-dyn] 18 Nov 2020. 2 scaling laws in Turbulent flow. Let us define here the basic equations.

Pub Date: August 2016 arXiv: arXiv:1608.03906 Bibcode: 2016arXiv160803906E Keywords: Mathematics - Classical Analysis and ODEs; 39B32;