

Web Intelligence Rich Client User Guide File Type

*Set up preferences for the Rich Client
interface: SAP BusinessObjects Web
Intelligence 4.0*

Page 1/126

web-intelligence-rich-client-user-guide-file-type-pdf

Creating BO Report Using BO Rich
Client *SAP Business Objects IDT - UNX*
problem with Web Intelligence Rich
client ~~Webi Rich Client part 2 Day 31~~

SAP Business Objects Beginner
Tutorial - Web Rich Client - Part 5 -
Break, Section, Formula ~~Webi Rich~~

Page 2/126

web-intelligence-rich-client-user-guide-file-type-pdf

~~Client R4 Part 3 Day 32~~

SAP Business Object - Beginner

Tutorial - Web Rich client Part -1 **Webi**

Rich Client in R4 30 ~~Navigate the~~

~~interface: SAP Business Objects Web~~

~~Intelligence 4.0 SAP BO~~

Administration - Client Applications

Page 3/126

web-intelligence-rich-client-user-guide-file-type-pdf

Create a table: SAP BusinessObjects
Web Intelligence 4.0 Run and save a
query: SAP BusinessObjects Web
Intelligence 4.0 Aggregate Awareness
~~Creating Universe In Business Objects~~
-4 Web Intelligence 4.x - Part 4 (SAP
Business Objects) Web Intelligence -

Page 4/126

web-intelligence-rich-client-user-guide-file-type-pdf

Crosstabs, Breaks \u0026 Subtotals

SAP BusinessObjects BI Virtual Tour |
SAP Direction with BI and Analytics
*Keynote Web Intelligence 4.0 Tutorial -
Part 3 (SAP Business Objects) SAP BO
Universe Designer - (SAP Business
Objects) Web Intelligence - Complex*

Page 5/126

web-intelligence-rich-client-user-guide-file-type-pdf

*Query Filters SAP Business Objects
Universe - Information Design Tool*

Web Intelligence - Excel Data

Providers What's New In SAP

BusinessObjects BI 4.3 - Web

Intelligence

SAP BusinessObjects BI 4.2 Free Trial

Page 6/126

web-intelligence-rich-client-user-guide-file-type-pdf

Step by Step Setup

SAP Business Intelligence 4.2: New
Auditing Universe and Reports
SAP Webi - Editing \u0026amp; Opening Documents
Create a prompt to select a subset of data: SAP Business Objects
Web Intelligence 4.0 SAP Business

Objects Online Training DEMO

SAP BUSINESS OBJECTS BO BI 4.2

Training and Certification *Select charts
for display in Mobile: SAP*

BusinessObjects Web Intelligence 4.0

SP4 Web Intelligence Rich Client

User

Page 8/126

web-intelligence-rich-client-user-guide-file-type-pdf

Web Intelligence User Guide. 8 | Page.
Close Web Intelligence . Web
Intelligence Rich Client will stay
running even after you close it. You
have the option to have Web
Intelligence completely close rather
than stay running in the background.

Page 9/126

web-intelligence-rich-client-user-guide-file-type-pdf

To have Web Intelligence completely close: 1. Click the Tools icon in the upper-right corner. 2.

Web Intelligence Rich Client User Guide - AITS

Web Intelligence 4.1 User Guide 8 | P a

Page 10/126

web-intelligence-rich-client-user-guide-file-type-pdf

g e 7. Web Intelligence Rich Client opens and the home page is displayed: Disconnected from Web Intelligence Web Intelligence Rich Client will stay running even after you close the program. To completely disconnect: 1. Close the Web Intelligence window by

clicking the in the upper-right corner.
2.

Guide Web Intelligence Rich Client - AITS

Configuring Web Intelligence Rich
Client ... Web Intelligence provides

Page 12/126

web-intelligence-rich-client-user-guide-file-type-pdf

business users with flexible and intuitive ad hoc reporting tools and interactive analytics – on the Web, desktop, or mobile device. You can also: Deliver personalized business intelligence to your colleagues, customers, and partners;

About Web Intelligence - SAP Help Portal

you can enable trace for webi rich client and see if log have more info.
you can also use process explorer and process monitor to see what happens

Page 14/126

web-intelligence-rich-client-user-guide-file-type-pdf

when user tries to login. usually, if its a machine and not user specific - it is either a bad install or a network issue between that machine and the BOE server.

BO4 - webi rich client - user getting

Page 15/126

web-intelligence-rich-client-user-guide-file-type-pdf

message login failed ...

Open Webi Rich Client ? New Document ? Select Analysis view as Data source. Select an Analysis View, and click 'Ok'. Managing Queries. To manage multiple queries, you have an option of Data at the top right corner.

This option is not available in Webi DHTML interface. All the data providers appear in the list to the right side of the data pane.

SAP Webi - Quick Guide - Tutorialspoint

Page 17/126

web-intelligence-rich-client-user-guide-file-type-pdf

Web Intelligence Services. Adaptive Processing Server. Supports Excel files uploaded to the BI platform as data sources. See SAP BusinessObjects Web Intelligence Rich Client User Guide for more information on building a query or refreshing a

document based on an Excel file.
Information Engine Service.

SAP Help Portal

SAP BusinessObjects Business
Intelligence Suite Document Version:
4.1 Support Package 5 - 2014-11-06

Page 19/126

web-intelligence-rich-client-user-guide-file-type-pdf

SAP BusinessObjects Web Intelligence User's Guide

SAP BusinessObjects Web Intelligence User's Guide

WebI Rich Client Interface. This
stateless interface has almost all of the

Page 20/126

web-intelligence-rich-client-user-guide-file-type-pdf

features and functionality that the Applet interface does plus a few additional features of its own. This should be used by advanced designers and power users that wish to have a stable design environment for larger documents

Tips for Optimizing the Performance of Web Intelligence ...

In the XI 3.0 release last summer, we announced Web Intelligence Rich Client, which enables BI content to be taken offline. For Web Intelligence

Page 22/126

web-intelligence-rich-client-user-guide-file-type-pdf

customers, this provides them an unparalleled capability: Identical workflows whether using the dHTML, Java or Rich Client deployment options, whether working while connected to the BOE platform or working disconnected on the train or in

the airport lounge.

Web Intelligence Year in Review: A Sort of Homecoming ...

The same user is able to run the query in Information Design Tool on the multi-source universe. User is able to

Page 24/126

web-intelligence-rich-client-user-guide-file-type-pdf

create a report in WebI Rich Client on the client using single-source universe. User is able to create a report in BI Launch Pad using multi-source and single-source universe.

2035427 - Error: "Database error:

Page 25/126

web-intelligence-rich-client-user-guide-file-type-pdf

(CS) Unable to bind to ...

How: With Web Intelligence Rich Client - login and retrieve the document from the Repository. Open the document. If the document opens within the Rich Client but does not open within BILaunchPad then there is

Page 26/126

web-intelligence-rich-client-user-guide-file-type-pdf

no issue with the document itself, the problem is on the server side. Next Steps: If a server side issue, please refer to other hypothesis. A good suggestion is (next one) and use 'End to End' traces.

Opening WebIntelligence Document Problems - Business ...

Open the document in Webi Rich client
? Click 'Send by e-mail attachment'
You have an option to select the
different attachment formats like PDF,
XLS, CSV, Text, and/or unsecured

Page 28/126

web-intelligence-rich-client-user-guide-file-type-pdf

wid. Sending Documents to Other Users. To send a document to other users/groups, open the document via BI Launchpad. Click 'Send' on toolbar ?
Send to User.

SAP Web Intelligence - Sending

Page 29/126

web-intelligence-rich-client-user-guide-file-type-pdf

Documents - Tutorialspoint

Webi, Rich client, WIS 00514, WRC,
3-tier, 2-tier , KBA , BI-BIP-ADM , BI
Servers, security, Crystal Reports in
Launchpad , BI-RA-WBI , Web
Intelligence , Problem About this page
This is a preview of a SAP Knowledge

Page 30/126

web-intelligence-rich-client-user-guide-file-type-pdf

Base Article.

2276253 - Error "SQL generation parameters file could not ...

(Web Intelligence Applet interface)

The "Navigation Map" pane lists all the reports in a document. This pane is the

Page 31/126

web-intelligence-rich-client-user-guide-file-type-pdf

same as the "Report Map" in the Web Intelligence HTML interface. (Web Intelligence HTML interface and Web Intelligence Rich Client) The "Report Map" pane lists all the reports in a document.

Side Panel tabs in Web Intelligence

Web Intelligence Rich Client (aka Webi RC or WRC) is customizable through the use of extension points. Extension points was an idea incubated in our labs (www.labs.businessobjects.com) last

Page 33/126

web-intelligence-rich-client-user-guide-file-type-pdf

year and now has been added into XI 3.0. The idea was to allow developers a quick and powerful way to customize Webi RC. Things you can customize:

Web Intelligence Rich Client (WRC) – OEM Integration ...

Page 34/126

web-intelligence-rich-client-user-guide-file-type-pdf

Hide warning icons in chart : Hides General Warning icons in order to enhance readability. Change Default Style : This button is only available in the Web Intelligence Applet interface and Web Intelligence Rich Client. In the Document Summary edit dialog

box, you can change the default style for the document. You can import a new style or export the current style.

SAP BusinessObjects Web Intelligence User's Guide

Web Intelligence Rich Client allows

Page 36/126

web-intelligence-rich-client-user-guide-file-type-pdf

you to work locally without a connection to a repository. Web Intelligence Interactive Viewer is a modern version of Web Intelligence and allows you to consult documents and reports in a redesigned interface dedicated to report consulting.

Page 37/126

web-intelligence-rich-client-user-guide-file-type-pdf

About the Web Intelligence interfaces

User accounts have not been converted. In order to participate on the new platform you will need to create a new account. Existing posts have been

Page 38/126

web-intelligence-rich-client-user-guide-file-type-pdf

retroactively assigned to your user name, but are associated with an anonymous account. No personal information (email address and so on) has been transferred to the new platform.

In the XI 3.0 release last summer, we announced Web Intelligence Rich Client, which enables BI content to be taken offline. For Web Intelligence customers, this provides them an unparalleled capability: Identical

Page 40/126

web-intelligence-rich-client-user-guide-file-type-pdf

workflows whether using the dHTML, Java or Rich Client deployment options, whether working while connected to the BOE platform or working disconnected on the train or in the airport lounge.

Web Intelligence 4.1 User Guide 8 | P a

Page 41/126

web-intelligence-rich-client-user-guide-file-type-pdf

g e 7. Web Intelligence Rich Client opens and the home page is displayed: Disconnected from Web Intelligence Web Intelligence Rich Client will stay running even after you close the program. To completely disconnect: 1. Close the Web Intelligence window by

clicking the in the upper-right corner.

2.

Opening WebIntelligence Document Problems - Business ...

Set up preferences for the Rich Client interface: SAP BusinessObjects Web

Page 43/126

web-intelligence-rich-client-user-guide-file-type-pdf

Intelligence 4.0

Creating BO Report Using BO Rich Client
SAP Business Objects IDT - UNX problem with Web Intelligence Rich client
~~Webi Rich Client part 2 Day 31~~

SAP Business Objects Beginner
Tutorial - Web Rich Client - Part 5 -

Page 44/126

web-intelligence-rich-client-user-guide-file-type-pdf

~~Break,Section, FormulaWebi Rich
Client R4 Part 3 Day 32~~

SAP Business Object - Beginner
Tutorial - Web Rich client Part -1 **Webi
Rich Client in R4 30** ~~Navigate the
interface: SAP BusinessObjects Web
Intelligence 4.0 SAP BO~~

Page 45/126

web-intelligence-rich-client-user-guide-file-type-pdf

Administration - Client Applications
Create a table: SAP BusinessObjects
Web Intelligence 4.0 Run and save a
query: SAP BusinessObjects Web
Intelligence 4.0 Aggregate Awareness
~~Creating Universe In Business Objects~~
~~—4 Web Intelligence 4.x - Part 4 (SAP~~

Page 46/126

web-intelligence-rich-client-user-guide-file-type-pdf

Business Objects) Web Intelligence -
Crosstabs, Breaks \u0026 Subtotals

SAP BusinessObjects BI Virtual Tour |
SAP Direction with BI and Analytics
*Keynote Web Intelligence 4.0 Tutorial -
Part 3 (SAP Business Objects) SAP BO
Universe Designer - (SAP Business*

Page 47/126

web-intelligence-rich-client-user-guide-file-type-pdf

*Objects) Web Intelligence - Complex
Query Filters SAP Business Objects
Universe - Information Design Tool*
**Web Intelligence - Excel Data
Providers What's New In SAP
BusinessObjects BI 4.3 - Web
Intelligence**

Page 48/126

web-intelligence-rich-client-user-guide-file-type-pdf

SAP BusinessObjects BI 4.2 Free Trial Step by Step Setup

SAP Business Intelligence 4.2: New
Auditing Universe and ReportsSAP
Webi - Editing \u0026 Opening
Documents Create a prompt to select a
subset of data: SAP BusinessObjects

Page 49/126

web-intelligence-rich-client-user-guide-file-type-pdf

Web Intelligence 4.0 SAP Business
Objects Online Training DEMO

SAP BUSINESS OBJECTS BO BI 4.2
Training and Certification *Select charts
for display in Mobile: SAP
BusinessObjects Web Intelligence 4.0
SP4 Web Intelligence Rich Client*

Page 50/126

web-intelligence-rich-client-user-guide-file-type-pdf

User

Web Intelligence User Guide. 8 | Page.

Close Web Intelligence . Web

Intelligence Rich Client will stay running even after you close it. You

have the option to have Web

Intelligence completely close rather

Page 51/126

web-intelligence-rich-client-user-guide-file-type-pdf

than stay running in the background.
To have Web Intelligence completely close: 1. Click the Tools icon in the upper-right corner. 2.

Web Intelligence Rich Client User Guide - AITS

Page 52/126

web-intelligence-rich-client-user-guide-file-type-pdf

Web Intelligence 4.1 User Guide 8 | Page 7. Web Intelligence Rich Client opens and the home page is displayed: Disconnected from Web Intelligence Web Intelligence Rich Client will stay running even after you close the program. To completely disconnect: 1.

Page 53/126

web-intelligence-rich-client-user-guide-file-type-pdf

Close the Web Intelligence window by clicking the in the upper-right corner.
2.

Guide Web Intelligence Rich Client - AITS

Configuring Web Intelligence Rich

Page 54/126

web-intelligence-rich-client-user-guide-file-type-pdf

Client ... Web Intelligence provides business users with flexible and intuitive ad hoc reporting tools and interactive analytics – on the Web, desktop, or mobile device. You can also: Deliver personalized business intelligence to your colleagues,

Page 55/126

web-intelligence-rich-client-user-guide-file-type-pdf

customers, and partners;

About Web Intelligence - SAP Help Portal

you can enable trace for webi rich client and see if log have more info.
you can also use process explorer and

Page 56/126

web-intelligence-rich-client-user-guide-file-type-pdf

process monitor to see what happens when user tries to login. usually, if its a machine and not user specific - it is either a bad install or a network issue between that machine and the BOE server.

BO4 - webi rich client - user getting message login failed ...

Open Webi Rich Client ? New Document ? Select Analysis view as Data source. Select an Analysis View, and click 'Ok'. Managing Queries. To manage multiple queries, you have an

Page 58/126

web-intelligence-rich-client-user-guide-file-type-pdf

option of Data at the top right corner. This option is not available in Webi DHTML interface. All the data providers appear in the list to the right side of the data pane.

SAP Webi - Quick Guide -

Page 59/126

web-intelligence-rich-client-user-guide-file-type-pdf

Tutorialspoint

Web Intelligence Services. Adaptive Processing Server. Supports Excel files uploaded to the BI platform as data sources. See SAP BusinessObjects Web Intelligence Rich Client User Guide for more information on

Page 60/126

web-intelligence-rich-client-user-guide-file-type-pdf

building a query or refreshing a document based on an Excel file. Information Engine Service.

SAP Help Portal

SAP BusinessObjects Business Intelligence Suite Document Version:

Page 61/126

web-intelligence-rich-client-user-guide-file-type-pdf

4.1 Support Package 5 - 2014-11-06
SAP BusinessObjects Web Intelligence
User's Guide

**SAP BusinessObjects Web
Intelligence User's Guide**
WebI Rich Client Interface. This

Page 62/126

web-intelligence-rich-client-user-guide-file-type-pdf

stateless interface has almost all of the features and functionality that the Applet interface does plus a few additional features of its own. This should be used by advanced designers and power users that wish to have a stable design environment for larger

documents

Tips for Optimizing the Performance of Web Intelligence ...

In the XI 3.0 release last summer, we announced Web Intelligence Rich Client, which enables BI content to be

Page 64/126

web-intelligence-rich-client-user-guide-file-type-pdf

taken offline. For Web Intelligence customers, this provides them an unparalleled capability: Identical workflows whether using the dHTML, Java or Rich Client deployment options, whether working while connected to the BOE platform or

Page 65/126

web-intelligence-rich-client-user-guide-file-type-pdf

working disconnected on the train or in the airport lounge.

Web Intelligence Year in Review: A Sort of Homecoming ...

The same user is able to run the query in Information Design Tool on the

Page 66/126

web-intelligence-rich-client-user-guide-file-type-pdf

multi-source universe. User is able to create a report in WebI Rich Client on the client using single-source universe. User is able to create a report in BI Launch Pad using multi-source and single-source universe.

**2035427 - Error: "Database error:
(CS) Unable to bind to ...**

How: With Web Intelligence Rich Client - login and retrieve the document from the Repository. Open the document. If the document opens within the Rich Client but does not

open within BILaunchPad then there is no issue with the document itself, the problem is on the server side. Next Steps: If a server side issue, please refer to other hypothesis. A good suggestion is (next one) and use 'End to End' traces.

Opening WebIntelligence Document Problems - Business ...

Open the document in Webi Rich client
? Click 'Send by e-mail attachment'
You have an option to select the
different attachment formats like PDF,

Page 70/126

web-intelligence-rich-client-user-guide-file-type-pdf

XLS, CSV, Text, and/or unsecured
wid. Sending Documents to Other
Users. To send a document to other
users/groups, open the document via BI
Launchpad. Click ‘Send’ on toolbar ?
Send to User.

SAP Web Intelligence - Sending Documents - Tutorialspoint

Webi, Rich client, WIS 00514, WRC, 3-tier, 2-tier , KBA , BI-BIP-ADM , BI Servers, security, Crystal Reports in Launchpad , BI-RA-WBI , Web Intelligence , Problem About this page

Page 72/126

web-intelligence-rich-client-user-guide-file-type-pdf

This is a preview of a SAP Knowledge Base Article.

2276253 - Error "SQL generation parameters file could not ...

(Web Intelligence Applet interface)

The "Navigation Map" pane lists all the

Page 73/126

web-intelligence-rich-client-user-guide-file-type-pdf

reports in a document. This pane is the same as the "Report Map" in the Web Intelligence HTML interface. (Web Intelligence HTML interface and Web Intelligence Rich Client) The "Report Map" pane lists all the reports in a document.

Side Panel tabs in Web Intelligence

Web Intelligence Rich Client (aka Webi RC or WRC) is customizable through the use of extension points. Extension points was an idea incubated in our labs

Page 75/126

web-intelligence-rich-client-user-guide-file-type-pdf

(www.labs.businessobjects.com) last year and now has been added into XI 3.0. The idea was to allow developers a quick and powerful way to customize Webi RC. Things you can customize:

Web Intelligence Rich Client (WRC)

Page 76/126

web-intelligence-rich-client-user-guide-file-type-pdf

– OEM Integration ...

Hide warning icons in chart : Hides General Warning icons in order to enhance readability. Change Default Style : This button is only available in the Web Intelligence Applet interface and Web Intelligence Rich Client.In

Page 77/126

web-intelligence-rich-client-user-guide-file-type-pdf

the Document Summary edit dialog box, you can change the default style for the document. You can import a new style or export the current style.

SAP BusinessObjects Web Intelligence User's Guide

Page 78/126

web-intelligence-rich-client-user-guide-file-type-pdf

Web Intelligence Rich Client allows you to work locally without a connection to a repository. Web Intelligence Interactive Viewer is a modern version of Web Intelligence and allows you to consult documents and reports in a redesigned interface

Page 79/126

web-intelligence-rich-client-user-guide-file-type-pdf

dedicated to report consulting.

About the Web Intelligence interfaces

User accounts have not been converted.
In order to participate on the new
platform you will need to create a new

Page 80/126

web-intelligence-rich-client-user-guide-file-type-pdf

account. Existing posts have been retroactively assigned to your user name, but are associated with an anonymous account. No personal information (email address and so on) has been transferred to the new platform.

The same user is able to run the query in Information Design Tool on the multi-source universe. User is able to create a report in WebI Rich Client on the client using single-

Page 82/126

web-intelligence-rich-client-user-guide-file-type-pdf

source universe. User is able to create a report in BI Launch Pad using multi-source and single-source universe.

WebI Rich Client Interface. This stateless interface has almost all of the features and functionality that

the Applet interface does plus a few additional features of its own. This should be used by advanced designers and power users that wish to have a stable design environment for larger documents

SAP BusinessObjects Web

Page 84/126

web-intelligence-rich-client-user-guide-file-type-pdf

Intelligence User's Guide

About Web Intelligence - SAP
Help Portal

Open Webi Rich Client New
Document Select Analysis

Page 85/126

web-intelligence-rich-client-user-guide-file-type-pdf

view as Data source. Select an Analysis View, and click ' Ok ' .
Managing Queries. To manage multiple queries, you have an option of Data at the top right corner. This option is not available in Webi DHTML

interface. All the data providers appear in the list to the right side of the data pane.

Hide warning icons in chart :
Hides General Warning icons in order to enhance readability.

Change Default Style : This

button is only available in the Web Intelligence Applet interface and Web Intelligence Rich Client. In the Document Summary edit dialog box, you can change the default style for the document. You can import a

new style or export the current style.

How: With Web Intelligence Rich Client - login and retrieve the document from the Repository. Open the document. If the document opens within

the Rich Client but does not open within BILaunchPad then there is no issue with the document itself, the problem is on the server side. Next Steps: If a server side issue, please refer to other hypothesis. A

Page 90/126

web-intelligence-rich-client-user-guide-file-type-pdf

good suggestion is (next one)
and use 'End to End' traces.

SAP Webi - Quick Guide -
Tutorialspoint
About the Web Intelligence interfaces

Tips for Optimizing the Performance of Web Intelligence ...

SAP BusinessObjects Business
Intelligence Suite Document
Version: 4.1 Support Package
5 - 2014-11-06 SAP
BusinessObjects Web
Page 92/126

Intelligence User's Guide
**SAP Web Intelligence -
Sending Documents -
Tutorialspoint**

Open the document in Webi
Rich client ? Click 'Send by
e-mail attachment' You have
an option to select the

Page 93/126

different attachment formats like PDF, XLS, CSV, Text, and/or unsecured wid.

Sending Documents to Other Users. To send a document to other users/groups, open the document via BI Launchpad. Click 'Send' on toolbar ?

Page 94/126

Send to User.

Web Intelligence Rich Client (aka Webi RC or WRC) is customizable through the use of extension points.

Extension points was an idea incubated in our labs (www.labs.businessobjects.com)

Page 95/126

web-intelligence-rich-client-user-guide-file-type-pdf

last year and now has been added into XI 3.0. The idea was to allow developers a quick and powerful way to customize Webi RC. Things you can customize:

2035427 - Error:

Page 96/126

web-intelligence-rich-client-user-guide-file-type-pdf

"Database error: (CS)
Unable to bind to ...
Web Intelligence Rich
Client User Guide - AITS
Configuring Web
Intelligence Rich Client
... Web Intelligence

Page 97/126

provides business users with flexible and intuitive ad hoc reporting tools and interactive analytics - on the Web, desktop, or mobile device. You can

Page 98/126

also: Deliver
personalized business
intelligence to your
colleagues, customers,
and partners;

Web Intelligence User
Guide. 8 | Page. Close

Page 99/126

Web Intelligence . Web Intelligence Rich Client will stay running even after you close it. You have the option to have Web Intelligence completely close rather

Page 100/126

than stay running in the background. To have Web Intelligence completely close: 1. Click the Tools icon in the upper-right corner. 2.

Web Intelligence Rich Client (WRC) - OEM Integration ...

User accounts have not been converted. In order to participate on the new platform you will need to create a new account.

Existing posts have been

Page 102/126

retroactively assigned to your user name, but are associated with an anonymous account. No personal information (email address and so on) has been transferred to the new platform.

Web Intelligence Services.
Adaptive Processing Server.
Supports Excel files
uploaded to the BI platform
as data sources. See SAP
BusinessObjects Web
Intelligence Rich Client
User Guide for more

Page 104/126

web-intelligence-rich-client-user-guide-file-type-pdf

information on building a query or refreshing a document based on an Excel file. Information Engine Service.

Web Intelligence Rich Client allows you to work locally without a connection to a

Page 105/126

repository. Web Intelligence Interactive Viewer is a modern version of Web Intelligence and allows you to consult documents and reports in a redesigned interface dedicated to report consulting.

Page 106/126

web-intelligence-rich-client-user-guide-file-type-pdf

Guide Web Intelligence
Rich Client - AITS
2276253 - Error "SQL
generation parameters
file could not ...

(Web Intelligence Applet
interface) The

Page 107/126

web-intelligence-rich-client-user-guide-file-type-pdf

"Navigation Map" pane lists all the reports in a document. This pane is the same as the "Report Map" in the Web Intelligence HTML interface. (Web

Page 108/126

Intelligence HTML
interface and Web
Intelligence Rich
Client) The "Report Map"
pane lists all the
reports in a document.

Web Intelligence Year in

Page 109/126

web-intelligence-rich-client-user-guide-file-type-pdf

Review: A Sort of
Homecoming ...

B04 - webi rich client -
user getting message login
failed ...

you can enable trace for

Page 110/126

web-intelligence-rich-client-user-guide-file-type-pdf

webi rich client and see if log have more info. you can also use process explorer and process monitor to see what happens when user tries to login. usually, if its a

machine and not user specific - it is either a bad install or a network issue between that machine and the BOE server.

SAP Help Portal Side Panel tabs in Web

Page 112/126

web-intelligence-rich-client-user-guide-file-type-pdf

Intelligence

*Set up preferences for
the Rich Client
interface: SAP
BusinessObjects Web*

Page 113/126

Intelligence 4.0

Creating BO Report Using
BO Rich ClientSAP

*Business Objects IDT -
UNIX problem with Web*

Intelligence Rich client

~~Webi Rich Client part 2~~

Page 114/126

web-intelligence-rich-client-user-guide-file-type-pdf

~~Day 31~~

SAP Business Objects

Beginner Tutorial - Web

Rich Client - Part 5 -

Break, Section, Formula

~~Webi Rich Client R4 Part~~

~~3 Day 32~~

Page 115/126

SAP Business Object -
Beginner Tutorial - Web
Rich client Part -1**Webi
Rich Client in R4 30**

~~Navigate the interface:
SAP BusinessObjects Web
Intelligence 4.0 SAP BO~~

Page 116/126

*Administration - Client
Applications Create a
table: SAP
BusinessObjects Web
Intelligence 4.0 Run and
save a query: SAP
BusinessObjects Web*

Page 117/126

Intelligence 4.0

Aggregate Awareness

~~Creating Universe In~~

~~Business Objects~~ — 4 Web

Intelligence 4.x - Part

4 (SAP Business Objects)

Web Intelligence -

Page 118/126

web-intelligence-rich-client-user-guide-file-type-pdf

Crosstabs, Breaks \u0026
Subtotals

SAP BusinessObjects BI
Virtual Tour | SAP
Direction with BI and
Analytics KeynoteWeb
Intelligence 4.0

Page 119/126

*Tutorial - Part 3 (SAP
Business Objects) SAP BO
Universe Designer - (SAP
Business Objects) Web
Intelligence - Complex
Query Filters SAP
Business Objects*

Page 120/126

web-intelligence-rich-client-user-guide-file-type-pdf

*Universe - Information
Design Tool* **Web**

Intelligence - Excel

Data Providers What's

New In SAP

BusinessObjects BI 4.3 -

Web Intelligence

Page 121/126

SAP BusinessObjects BI 4.2 Free Trial Step by Step Setup

SAP Business
Intelligence 4.2: New
Auditing Universe and
Reports

*SAP Webi -
Page 122/126*

Editing \u0026amp; Opening Documents
Create a prompt to select a subset of data: SAP BusinessObjects Web Intelligence 4.0 SAP Business Objects Online

Page 123/126

Training DEMO

SAP BUSINESS OBJECTS BO

BI 4.2 Training and

Certification

Select charts for display in

Mobile: SAP

BusinessObjects Web

Page 124/126

Intelligence 4.0 SP4 **Web
Intelligence Rich Client
User**

Webi, Rich client, WIS
00514, WRC, 3-tier,
2-tier , KBA , BI-BIP-
ADM , BI Servers,

Page 125/126

security, Crystal
Reports in Launchpad ,
BI-RA-WBI , Web
Intelligence , Problem
About this page This is
a preview of a SAP
Knowledge Base Article.

Page 126/126