

# Standardization Of Sodium Thiosulfate Solution By Pure Potium

0.1 n Sodium thiosulfate Preparation and Standardization

Leaving Cert Chemistry - By kind permission of Folens

Well, you didn't describe the process you were performing but in general, you want to find the concentration of an unknown by comparing it with a substance of known concentration. The more precisely you know your known concentration, the more prec...

Standardization of Sodium Thiosulfate? | Yahoo Answers

11. Standardise a Solution of Sodium Thiosulfate LC HL Chemistry 2015 q1 Standardise a sodium thiosulphate solution using iodine Standardization of sodium thiosulfate by Potassium dichromate using iodometric titration. step 1B: Standardization of sodium thiosulfate solution

---

Standardization of Thiosulfate using  $KIO_3$  and Released Iodine A-Level Chemistry

Sodium Thiosulfate and Iodine Titrations Standardization of Sodium Thiosulfate

Solution Iodine and sodium thiosulfate redox titration calculations | A-Level Chemistry

Thiosulfate Titration

---

Iodine / Thiosulfate Redox Titration Demonstration Potassium dichromate vs sodium

thiosulfate titration ~~How to Standardize and Titrate Sodium Thiosulfate~~ Thiosulfate

Titration Lab8 vitamin C and iodine titration Chemistry - 3Sec - The detection of

thiosulphate anion How to prepare and standardize 0.1 N Sodium Hydroxide(NaOH) Solution -Part 1 18. Dissolved Oxygen (Winkler) HOW TO PREPARE 1N AND 0.1 N SULPHURIC ACID Determining Copper Content

---

12. Percentage of Hypochlorite in Bleach iodometric titration Solution Preparation: What is a standard solution? Eureka 2017 | Iodometry | Redox Titration |  $\text{KIO}_3$  Vs Thiosulfate Iodimetric titration: standardization of thiosulfate Iodine and sodium thiosulfate titrations How to prepare 0.1 N/0.1M sodium thiosulfate solution. How to Prepared 0.1N Sodium Thiosulphate | Preparation and Standardise of 0.1N Sodium Thiosulphate Dr Anima Upadhyay \ "Standardization of sodium thiosulphate with std Potassium dichromate solution\ " Iodometric Estimation of Copper using Sodium thiosulphate by Dr. Hirok Jyoti Borah. Estimation of  $\text{K}_2\text{Cr}_2\text{O}_7$  using sodium thiosulfate solution using starch indicator, ADBU Chemistry Stardization Of Sodium Thiosulfate Solution

Dissolve 25 g of sodium thiosulphate in  $\text{CO}_2$  free water and make the volume upto 1000 ml. Keep the solution aside and filter to remove any cloudiness, if appears. Preparation of starch solution. Add one gram of starch to few ml of water, prepare slurry and add gradually to 100 ml of boiling water till a translucent solution will be obtained. Standardization of sodium thiosulphate

Preparation and standardization of Sodium thiosulphate ...

Procedure for preparation and standardization of 0.1M Sodium Thiosulphate solution ( $\text{Na}_2\text{S}_2\text{O}_3$ ) is as follows: Thiosulfate solutions do not always have a stable titer. They can be decomposed due to catalysis by traces of heavy metals, oxidized by microorganisms or they undergo  $\text{CO}_2$  absorption. This reduces the molar concentration.

Standardization of 0.1M Thiosulphate - Mistakes We Make in ...

- Sodium Thiosulfate, 5-Hydrate,  $\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$  Reagent Grade, ACS Specifications Solution Strengths Standardized Preparations 1.0 M Sodium Thiosulfate 1. Add 800 mL of distilled water to a 1-litre volumetric flask containing a Teflon stir bar.

Sodium Thiosulfate Standardization

Standardization of 0.1 N Sodium thiosulfate Take 1 g of primary standard potassium dichromate ( $\text{K}_2\text{Cr}_2\text{O}_7$ ), transfer to a platinum dish, and dry at  $120^\circ\text{C}$  for 4 h. Cool in a desiccator. Weigh accurately 0.21g of the dried  $\text{K}_2\text{Cr}_2\text{O}_7$ ,

0.1 n Sodium thiosulfate Preparation and Standardization  
Leaving Cert Chemistry - By kind permission of Folens

## 11. Standardise a Solution of Sodium Thiosulfate - YouTube

Sodium Thiosulphate Solution Preparation. Take about 100 ml of water in a cleaned and dried 1000 ml volumetric flask. Add about 25 gm of Sodium Thiosulphate with continues stirring. Add about 0.2 gm of Sodium Carbonate with continues stirring. Add more about 700 ml of water, mix. Make up the volume 1000 ml with water. Mix solution thoroughly.

## Preparation and Standardization of 0.1 M Sodium ...

The laboratory preparation of the sodium thiosulfate salt involves the heating of aqueous sodium sulfite solutions along with sulphur. The production of  $\text{Na}_2\text{S}_2\text{O}_3$  can also be accomplished by the boiling of aqueous  $\text{NaOH}$  ( sodium hydroxide ) with sulphur.

## Sodium Thiosulfate ( $\text{Na}_2\text{S}_2\text{O}_3$ ) - Formula, Properties ...

asked in Science & Mathematics Chemistry · 8 years ago Standardization of Sodium Thiosulfate? In one trial of the standardization of a  $\text{Na}_2\text{S}_2\text{O}_3$  solution, a 10.00 mL volume of  $5.00 \times 10^{-3}$  M  $\text{KIO}_3$  is...

## Standardization of Sodium Thiosulfate? | Yahoo Answers

Neutralize with 0.5M sulfuric acid, adding several drops of excess acid after solution loses its color. Add slowly (to not cause the solution to foam up) 50 mL of 2%  $\text{NaHCO}_3$

solution. Add 5 mL of the starch solution. Titrate swirling the flask, until a blue color persists for 20 seconds.

Standardization of iodine and thiosulfate solutions for ...

Calibration of a Thiosulphate Solution. Standard Preparation. To prepare a 0.1 eq/l (or 0.1 mol/l) sodium thiosulphate solution, dissolve 24.8181 g of Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> · 5H<sub>2</sub>O in 500 ml of freshly distilled water (or freshly boiled and cooled deionised water) and 2 or 3 drops of HCl.

Calibration of a Thiosulphate Solution

This procedure can be used to standardize the thiosulfate solution. This procedure can be used to standardize the thiosulfate solution.

Standardization of Thiosulfate using KIO<sub>3</sub> and Released ...

On an industrial scale, sodium thiosulfate is produced chiefly from liquid waste products of sodium sulfide or sulfur dye manufacture. In the laboratory, this salt can be prepared by heating an aqueous solution of sodium sulfite with sulfur or by boiling aqueous sodium hydroxide and sulfur according to this equation:  $6 \text{NaOH} + 4 \text{S} \rightarrow 2 \text{Na}_2\text{S} + \text{Na}_2\text{S}_2\text{O}_3$

## Sodium thiosulfate - Wikipedia

Sodium thiosulfate is often standardized with potassium dichromate. In the standardization, iodine (triiodide) liberated by potassium dichromate in an acidic potassium iodide solution is titrated with a sodium thiosulfate solution. The iodine liberation process significantly affects the titration results.

## Reliability in standardization of sodium thiosulfate with ...

Standardization of approximately 0.025XX M sodium thiosulfate solution with potassium bi-iodate solution<sup>15</sup> The TAs will distribute a dry weighing bottle to each student containing approximately 0.1 gram of reagent grade potassium bi-iodate  $\text{KH}(\text{IO}_3)_2$ , which has been previously dried in a 103-105 °C drying oven for 1.5 hours or overnight.<sup>16</sup>

## 2.1: Day 1 Procedures - Standardization of Sodium Thiosulfate

Standardization of the Sodium Thiosulfate Solution Make up a standard solution of potassium iodate by accurately “ weighing by difference ” about 0.1 g of  $\text{KIO}_3$  and placing it in your 100 mL volumetric flask. Fill the flask to mark with distilled water. Potassium iodate reacts with excess KI in acid solution according to the following reaction:

Standardization of the Sodium Thiosulfate Solution Make up ...

Well, you didn't describe the process you were performing but in general, you want to find the concentration of an unknown by comparing it with a substance of known concentration. The more precisely you know your known concentration, the more prec...

Why do we need to do a standardisation on a known ...

Sodium Thiosulfate Injection is a sterile aqueous solution and is intended for intravenous injection. Each vial contains 12.5 grams of sodium thiosulfate in 50 mL solution (250 mg/mL). Each mL also contains 2.8 mg boric acid and 4.4 mg of potassium chloride. The pH of the solution is adjusted with boric acid and/or sodium hydroxide.

Sodium Thiosulfate Injection - FDA prescribing information ...

Sodium thiosulfate solution, 0.1 M, for 3S adapter technology, HT1005: Sodium thiosulfate solution, 2 g/dL in deionized water, Sorry we cannot compare more than 4 products at a time. ...

Sodium Thiosulphate Solution Preparation. Take about 100 ml

Page 7/20

of water in a cleaned and dried 1000 ml volumetric flask. Add about 25 gm of Sodium Thiosulphate with continues stirring. Add about 0.2 gm of Sodium Carbonate with continues stirring. Add more about 700 ml of water, mix. Make up the volume 1000 ml with water. Mix solution thoroughly.

### **Preparation and standardization of Sodium thiosulphate ...**

Standardization of 0.1 N Sodium thiosulfate Take 1 g of primary standard potassium dichromate ( $K_2Cr_2O_7$ ), transfer to a platinum dish, and dry at  $120^\circ C$  for 4 h. Cool in a desiccator. Weigh accurately 0.21g of the dried  $K_2Cr_2O_7$ ,

11. Standardise a Solution of Sodium Thiosulfate LC HL Chemistry 2015 q1  
Standardise a sodium thiosulphate solution using iodine Standardization of sodium thiosulfate by Potassium dichromate using iodometric titration. step 1B:  
Standardization of sodium thiosulfate solution

---

Standardization of Thiosulfate using  $KIO_3$  and Released Iodine A-Level Chemistry  
Sodium Thiosulfate and Iodine Titrations Standardization of Sodium Thiosulfate



## Solution Iodine and sodium thiosulfate redox titration calculations | A-Level Chemistry Thiosulfate Titration

---

Iodine / Thiosulfate Redox Titration Demonstration Potassium dichromate vs sodium thiosulfate titration How to Standardize and Titrate Sodium Thiosulfate Thiosulfate Titration Lab8 vitamin C and iodine titration Chemistry - 3Sec - The detection of thiosulphate anion How to prepare and standardize 0.1 N Sodium Hydroxide(NaOH) Solution -Part 1 18. Dissolved Oxygen (Winkler) HOW TO PREPARE 1N AND 0.1 N SULPHURIC ACID Determining Copper Content

---

12. Percentage of Hypochlorite in Bleach iodometric titration Solution Preparation: What is a standard solution? Eureka 2017 | Iodometry | Redox Titration | KIO<sub>3</sub> Vs Thiosulfate Iodimetric titration: standardization of thiosulfate Iodine and sodium thiosulfate titrations How to prepare 0.1 N/0.1M sodium thiosulfate solution. How to Prepared 0.1N Sodium Thiosulphate | Preparation and Standardise of 0.1N Sodium Thiosulphate Dr Anima Upadhyay \"Standardization of sodium thiosulphate with std Potassium dichromate solution\" Iodometric Estimation of Copper using Sodium thiosulphate by Dr. Hirok Jyoti Borah. Estimation of K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> using sodium thiosulfate solution using starch indicator, ADBU Chemistry Stardization Of Sodium Thiosulfate Solution

Dissolve 25 g of sodium thiosulphate in CO<sub>2</sub> free water and make the volume upto 1000 ml. Keep the solution aside and filter to remove any cloudiness, if appears. Preparation of starch solution. Add one gram of starch to few ml of water, prepare slurry and add gradually to 100 ml of boiling water till a translucent solution will be

obtained. Standardization of sodium thiosulphate

Preparation and standardization of Sodium thiosulphate ...

Procedure for preparation and standardization of 0.1M Sodium Thiosulphate solution ( $\text{Na}_2\text{S}_2\text{O}_3$ ) is as follows: Thiosulfate solutions do not always have a stable titer. They can be decomposed due to catalysis by traces of heavy metals, oxidized by microorganisms or they undergo  $\text{CO}_2$  absorption. This reduces the molar concentration.

Standardization of 0.1M Thiosulphate - Mistakes We Make in ...

- Sodium Thiosulfate, 5-Hydrate,  $\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$  Reagent Grade, ACS Specifications Solution Strengths Standardized Preparations 1.0 M Sodium Thiosulfate 1. Add 800 mL of distilled water to a 1-litre volumetric flask containing a Teflon stir bar.

Sodium Thiosulfate Standardization

Standardization of 0.1 N Sodium thiosulfate Take 1 g of primary standard potassium dichromate ( $\text{K}_2\text{Cr}_2\text{O}_7$ ), transfer to a platinum dish, and dry at  $120^\circ\text{C}$  for 4 h. Cool in a desiccator. Weigh accurately 0.21g of the dried  $\text{K}_2\text{Cr}_2\text{O}_7$ ,

0.1 n Sodium thiosulfate Preparation and Standardization  
Leaving Cert Chemistry - By kind permission of Folens

## 11. Standardise a Solution of Sodium Thiosulfate - YouTube

Sodium Thiosulphate Solution Preparation. Take about 100 ml of water in a cleaned and dried 1000 ml volumetric flask. Add about 25 gm of Sodium Thiosulphate with continues stirring. Add about 0.2 gm of Sodium Carbonate with continues stirring. Add more about 700 ml of water, mix. Make up the volume 1000 ml with water. Mix solution thoroughly.

## Preparation and Standardization of 0.1 M Sodium ...

The laboratory preparation of the sodium thiosulfate salt involves the heating of aqueous sodium sulfite solutions along with sulphur. The production of  $\text{Na}_2\text{S}_2\text{O}_3$  can also be accomplished by the boiling of aqueous  $\text{NaOH}$  ( sodium hydroxide ) with sulphur.

## Sodium Thiosulfate ( $\text{Na}_2\text{S}_2\text{O}_3$ ) - Formula, Properties ...

asked in Science & Mathematics Chemistry · 8 years ago Standardization of Sodium Thiosulfate? In one trial of the standardization of a  $\text{Na}_2\text{S}_2\text{O}_3$  solution, a 10.00 mL volume of  $5.00 \times 10^{-3}$  M  $\text{KIO}_3$  is...

## Standardization of Sodium Thiosulfate? | Yahoo Answers

Neutralize with 0.5M sulfuric acid, adding several drops of excess acid after solution loses its color. Add slowly (to not cause the solution to foam up) 50 mL of 2%

NaHCO<sub>3</sub> solution. Add 5 mL of the starch solution. Titrate swirling the flask, until a blue color persists for 20 seconds.

Standardization of iodine and thiosulfate solutions for ...

Calibration of a Thiosulphate Solution. Standard Preparation. To prepare a 0.1 eq/l (or 0.1 mol/l) sodium thiosulphate solution, dissolve 24.8181 g of Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> · 5H<sub>2</sub>O in 500 ml of freshly distilled water (or freshly boiled and cooled deionised water) and 2 or 3 drops of HCl.

Calibration of a Thiosulphate Solution

This procedure can be used to standardize the thiosulfate solution. This procedure can be used to standardize the thiosulfate solution.

Standardization of Thiosulfate using KIO<sub>3</sub> and Released ...

On an industrial scale, sodium thiosulfate is produced chiefly from liquid waste products of sodium sulfide or sulfur dye manufacture. In the laboratory, this salt can be prepared by heating an aqueous solution of sodium sulfite with sulfur or by boiling aqueous sodium hydroxide and sulfur according to this equation:  $6 \text{ NaOH} + 4 \text{ S} \rightarrow 2 \text{ Na}_2\text{S}_2\text{O}_3 + 2 \text{ H}_2\text{S}$

Sodium thiosulfate - Wikipedia

Sodium thiosulfate is often standardized with potassium dichromate. In the

standardization, iodine (triiodide) liberated by potassium dichromate in an acidic potassium iodide solution is titrated with a sodium thiosulfate solution. The iodine liberation process significantly affects the titration results.

Reliability in standardization of sodium thiosulfate with ...

Standardization of approximately 0.025XX M sodium thiosulfate solution with potassium bi-iodate solution<sup>15</sup> The TAs will distribute a dry weighing bottle to each student containing approximately 0.1 gram of reagent grade potassium bi-iodate  $\text{KH}(\text{IO}_3)_2$ , which has been previously dried in a 103-105 °C drying oven for 1.5 hours or overnight.<sup>16</sup>

## 2.1: Day 1 Procedures - Standardization of Sodium Thiosulfate

Standardization of the Sodium Thiosulfate Solution Make up a standard solution of potassium iodate by accurately “ weighing by difference ” about 0.1 g of  $\text{KIO}_3$  and placing it in your 100 mL volumetric flask. Fill the flask to mark with distilled water. Potassium iodate reacts with excess KI in acid solution according to the following reaction:

Standardization of the Sodium Thiosulfate Solution Make up ...

Well, you didn't describe the process you were performing but in general, you want to find the concentration of an unknown by comparing it with a substance of known concentration. The more precisely you know your known concentration, the more

prec...

Why do we need to do a standardisation on a known ...

Sodium Thiosulfate Injection is a sterile aqueous solution and is intended for intravenous injection. Each vial contains 12.5 grams of sodium thiosulfate in 50 mL solution (250 mg/mL). Each mL also contains 2.8 mg boric acid and 4.4 mg of potassium chloride. The pH of the solution is adjusted with boric acid and/or sodium hydroxide.

Sodium Thiosulfate Injection - FDA prescribing information ...

Sodium thiosulfate solution, 0.1 M, for 3S adapter technology, HT1005: Sodium thiosulfate solution, 2 g/dL in deionized water, Sorry we cannot compare more than 4 products at a time. ...

asked in Science & Mathematics Chemistry · 8 years ago Standardization of Sodium Thiosulfate? In one trial of the standardization of a  $\text{Na}_2\text{S}_2\text{O}_3$  solution, a 10.00 mL volume of  $5.00 \times 10^{-3}$  M  $\text{KIO}_3$  is...

2.1: Day 1 Procedures - Standardization of Sodium Thiosulfate  
Standardization of 0.1M Thiosulphate - Mistakes We Make in ...

Standardization of the Sodium Thiosulfate Solution Make up a standard solution of potassium iodate by accurately “ weighing by difference ” about 0.1 g of  $\text{KIO}_3$  and placing it in your 100 mL volumetric flask. Fill the flask to mark with distilled water. Potassium iodate reacts with excess KI in acid solution according to the following reaction:

Sodium Thiosulfate ( $\text{Na}_2\text{S}_2\text{O}_3$ ) - Formula, Properties ...

- Sodium Thiosulfate, 5-Hydrate,  $\text{Na}_2\text{S}_2\text{O}_3 \cdot 5\text{H}_2\text{O}$  Reagent Grade, ACS Specifications Solution Strengths Standardized Preparations 1.0 M Sodium Thiosulfate 1. Add 800 mL of distilled water to a 1-litre volumetric flask containing a Teflon stir bar.

11. Standardise a Solution of Sodium Thiosulfate - YouTube

Dissolve 25 g of sodium thiosulphate in  $\text{CO}_2$  free water and make the volume upto 1000 ml. Keep the solution aside and filter to remove any cloudiness, if appears. Preparation of starch solution. Add one gram of starch to few ml of water, prepare slurry and add gradually to 100 ml of boiling water till a translucent solution will be obtained. Standardization of sodium thiosulphate

**Reliability in standardization of sodium thiosulfate with ...**

This procedure can be used to standardize the thiosulfate solution. This procedure can be used to standardize the thiosulfate solution.

Sodium Thiosulfate Injection is a sterile aqueous solution and is intended for

intravenous injection. Each vial contains 12.5 grams of sodium thiosulfate in 50 mL solution (250 mg/mL). Each mL also contains 2.8 mg boric acid and 4.4 mg of potassium chloride. The pH of the solution is adjusted with boric acid and/or sodium hydroxide.

## Calibration of a Thiosulphate Solution

11. *Standardise a Solution of Sodium Thiosulfate* **LC HL Chemistry 2015 q1**  
**Standardise a sodium thiosulphate solution using iodine** Standardization of sodium thiosulfate by Potassium dichromate using iodometric titration. step 1B: Standardization of sodium thiosulfate solution

---

Standardization of Thiosulfate using KIO<sub>3</sub> and Released Iodine A-Level Chemistry Sodium Thiosulfate and Iodine Titrations *Standardization of Sodium Thiosulfate Solution* **Iodine and sodium thiosulfate redox titration calculations | A-Level Chemistry Thiosulfate Titration**

---

Iodine / Thiosulfate Redox Titration Demonstration *Potassium dichromate vs sodium thiosulfate titration* ~~How to Standardize and Titrate Sodium Thiosulfate~~ Thiosulfate Titration **Lab8 vitamin C and iodine titration** Chemistry - 3Sec - The detection of thiosulphate anion How to prepare and standardize 0.1 N Sodium



Hydroxide(NaOH) Solution -Part 1 18. *Dissolved Oxygen (Winkler) HOW TO PREPARE 1N AND 0.1 N SULPHURIC ACID* ~~Determining Copper Content~~

---

12. Percentage of Hypochlorite in Bleach ~~iodometric titration~~ Solution Preparation: What is a standard solution? *Eureka 2017 | Iodometry | Redox Titration | KIO<sub>3</sub> Vs Thiosulfate Iodimetric titration: standardization of thiosulfate* ~~Iodine and sodium thiosulfate titrations~~ How to prepare 0.1 N/0.1M sodium thiosulfate solution. How to Prepared 0.1N Sodium Thiosulphate | Preparation and Standardise of 0.1N Sodium Thiosulphate Dr Anima Upadhyay \"Standardization of sodium thiosulphate with std Potassium dichromate solution\" Iodometric Estimation of Copper using Sodium thiosulphate by Dr. Hirok Jyoti Borah. **Estimation of K<sub>2</sub>Cr<sub>2</sub>O<sub>7</sub> using sodium thiosulfate solution using starch indicator, ADBU Chemistry Stardization Of Sodium Thiosulfate Solution**

Standardization of approximately 0.025XX M sodium thiosulfate solution with potassium bi-iodate solution<sup>15</sup> The TAs will distribute a dry weighing bottle to each student containing approximately 0.1 gram of reagent grade potassium bi-iodate KH(IO<sub>3</sub>)<sub>2</sub>, which has been previously dried in a 103-105 0 C drying oven for 1.5 hours or overnight.<sup>16</sup>

**Preparation and Standardization of 0.1 M Sodium ...**

**Standardization of the Sodium Thiosulfate Solution Make up ...**

**Sodium Thiosulfate Injection - FDA prescribing information ...**

**Sodium thiosulfate - Wikipedia**

**Why do we need to do a standardisation on a known ...**

**Standardization of Thiosulfate using KIO<sub>3</sub> and Released ...**

Neutralize with 0.5M sulfuric acid, adding several drops of excess acid after solution loses its color. Add slowly (to not cause the solution to foam up) 50 mL of 2% NaHCO<sub>3</sub> solution. Add 5 mL of the starch solution. Titrate swirling the flask, until a blue color persists for 20 seconds.

Sodium thiosulfate solution, 0.1 M, for 3S adapter technology, HT1005: Sodium thiosulfate solution, 2 g/dL in deionized water, Sorry we cannot compare more than 4 products at a time. ...

Calibration of a Thiosulphate Solution. Standard Perparation. To prepare a 0.1 eq/l (or 0.1 mol/l) sodium thiosulphate solution, dissolve 24.8181 g of Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub> · 5H<sub>2</sub>O in 500 ml of freshly distilled water (or freshly boiled and cooled deionised water) and 2 or 3 drops of CHCl<sub>3</sub>.

## **Standardization of iodine and thiosulfate solutions for ...**

The laboratory preparation of the sodium thiosulfate salt involves the heating of aqueous sodium sulfite solutions along with sulphur. The production of  $\text{Na}_2\text{S}_2\text{O}_3$  can also be accomplished by the boiling of aqueous  $\text{NaOH}$  ( sodium hydroxide ) with sulphur.

Sodium thiosulfate is often standardized with potassium dichromate. In the standardization, iodine (triiodide) liberated by potassium dichromate in an acidic potassium iodide solution is titrated with a sodium thiosulfate solution. The iodine liberation process significantly affects the titration results.

## **Sodium Thiosulfate Standardization**

On an industrial scale, sodium thiosulfate is produced chiefly from liquid waste products of sodium sulfide or sulfur dye manufacture. In the laboratory, this salt can be prepared by heating an aqueous solution of sodium sulfite with sulfur or by boiling aqueous sodium hydroxide and sulfur according to this equation:  $6 \text{NaOH} + 4 \text{S} \rightarrow 2 \text{Na}_2\text{S} + \text{Na}_2\text{S}$

Procedure for preparation and standardization of 0.1M Sodium Thiosulphate solution ( $\text{Na}_2\text{S}_2\text{O}_3$ ) is as follows: Thiosulfate solutions do not always have a stable titer. They can be decomposed due to catalysis by traces of heavy metals,

oxidized by microorganisms or they undergo CO<sub>2</sub> absorption. This reduces the molar concentration.